

MS_Courthouses

Shapefile



Tags

political, city government

Summary

Locations of courthouses and courts in Mississippi.

Description

Locations of courthouses and county courts in Mississippi. MARIs created this layer in May 2017 using information from Wikipedia, phone calls, the Mississippi Municipal League (MML) website, and web searches with locations verified with MARIS' 2017 Best Available Imagery and Google Street View

Credits

MARIS, Wikipedia, MML, Google

Use limitations

Use only for good

Extent

West -91.470780 **East** -88.186604
North 34.985065 **South** 30.300716

Scale Range

Maximum (zoomed in) 1:5,000
Minimum (zoomed out) 1:150,000,000

ArcGIS Metadata ►

Topics and Keywords ►

THEMES OR CATEGORIES OF THE RESOURCE structure, location, society

* CONTENT TYPE Downloadable Data

THEME KEYWORDS political, city, local, gazatteer, municipal, government, location

Hide Topics and Keywords ▲

Citation ►

* TITLE MS_Courthouses
CREATION DATE 2017-05-12 00:00:00

PRESENTATION FORMATS * digital map

[Hide Citation ▲](#)

Citation Contacts ►

RESPONSIBLE PARTY

INDIVIDUAL'S NAME Steve Walker
ORGANIZATION'S NAME MARIS
CONTACT'S POSITION GIS Operations Manager
CONTACT'S ROLE resource provider

[Hide Citation Contacts ▲](#)

Resource Details ►

DATASET LANGUAGES * English (UNITED STATES)
DATASET CHARACTER SET utf8 - 8 bit UCS Transfer Format

SPATIAL REPRESENTATION TYPE * vector

* PROCESSING ENVIRONMENT Microsoft Windows 7 Version 6.1 (Build 7601) Service Pack 1; Esri ArcGIS 10.4.1.5686

CREDITS

MARIS, Wikipedia, MML, Google

ARCGIS ITEM PROPERTIES

* NAME MS_Courthouses
* SIZE 0.013
* LOCATION file:///\\SWALKER-PC\E\$\DATA\CityHallsnCourthouses\MS_Courthouses.shp
* ACCESS PROTOCOL Local Area Network

[Hide Resource Details ▲](#)

Extents ►

EXTENT

GEOGRAPHIC EXTENT

BOUNDING RECTANGLE

EXTENT TYPE Extent used for searching
* WEST LONGITUDE -91.470780
* EAST LONGITUDE -88.186604
* NORTH LATITUDE 34.985065
* SOUTH LATITUDE 30.300716
* EXTENT CONTAINS THE RESOURCE Yes

EXTENT IN THE ITEM'S COORDINATE SYSTEM

* WEST LONGITUDE 342879.268700
* EAST LONGITUDE 642745.288800
* SOUTH LATITUDE 1057322.137600
* NORTH LATITUDE 1575592.040600
* EXTENT CONTAINS THE RESOURCE Yes

[Hide Extents ▲](#)

Resource Points of Contact ►

POINT OF CONTACT

INDIVIDUAL'S NAME Steve Walker
ORGANIZATION'S NAME MARIS
CONTACT'S POSITION GIS Operations Manager
CONTACT'S ROLE custodian

CONTACT INFORMATION ►

ADDRESS

DELIVERY POINT 3825 Ridgewood Rd
CITY Jackson
ADMINISTRATIVE AREA MS
POSTAL CODE 39211
COUNTRY US
E-MAIL ADDRESS swalker@mississippi.edu

HOURS OF SERVICE

7-3 CDT

CONTACT INSTRUCTIONS

M-F

[Hide Contact information ▲](#)

[Hide Resource Points of Contact ▲](#)

Resource Maintenance ►

RESOURCE MAINTENANCE

UPDATE FREQUENCY as needed

[Hide Resource Maintenance ▲](#)

Resource Constraints ►

CONSTRAINTS

LIMITATIONS OF USE

Use only for good

[Hide Resource Constraints ▲](#)

Spatial Reference ►

ARCGIS COORDINATE SYSTEM

* TYPE Projected
* GEOGRAPHIC COORDINATE REFERENCE GCS_North_American_1983
* PROJECTION NAD_1983_Mississippi_TM
* COORDINATE REFERENCE DETAILS
PROJECTED COORDINATE SYSTEM

WELL-KNOWN IDENTIFIER 102609
X ORIGIN -5122200
Y ORIGIN -12297100
XY SCALE 450339697.45066422
Z ORIGIN -100000
Z SCALE 10000
M ORIGIN -100000
M SCALE 10000
XY TOLERANCE 0.001
Z TOLERANCE 0.001
M TOLERANCE 0.001
HIGH PRECISION true
LATEST WELL-KNOWN IDENTIFIER 3814
WELL-KNOWN TEXT
PROJCS["NAD_1983_Mississippi_TM",GEOGCS["GCS_North_American_1983",DATUM["D_North_American_1983",SPHEROID["GRS_1980",6378137.0,298.257222101]],PRIMEM["Greenwich",0.0],UNIT["Degree",0.0174532925199433]],PROJECTION["Transverse_Mercator"],PARAMETER["False_Easting",500000.0],PARAMETER["False_Northing",1300000.0],PARAMETER["Central_Meridian",-89.75],PARAMETER["Scale_Factor",0.9998335],PARAMETER["Latitude_Of_Origin",32.5],UNIT["Meter",1.0],AUTHORITY["EPSG",3814]]

REFERENCE SYSTEM IDENTIFIER

- * VALUE 3814
- * CODESPACE EPSG
- * VERSION 6.17.1(10.0.0)

[Hide Spatial Reference ▲](#)

Spatial Data Properties ►

VECTOR ►

- * LEVEL OF TOPOLOGY FOR THIS DATASET geometry only

GEOMETRIC OBJECTS

- FEATURE CLASS NAME MS_Courthouses
- * OBJECT TYPE point
 - * OBJECT COUNT 498

[Hide Vector ▲](#)

ARCGIS FEATURE CLASS PROPERTIES ►

- FEATURE CLASS NAME MS_Courthouses
- * FEATURE TYPE Simple
 - * GEOMETRY TYPE Point
 - * HAS TOPOLOGY FALSE
 - * FEATURE COUNT 498
 - * SPATIAL INDEX TRUE
 - * LINEAR REFERENCING FALSE

[Hide ArcGIS Feature Class Properties ▲](#)

[Hide Spatial Data Properties ▲](#)

Data Quality ►

SCOPE OF QUALITY INFORMATION ►

RESOURCE LEVEL collection session

SCOPE DESCRIPTION

ATTRIBUTES

Google Street view

[Hide Scope of quality information ▲](#)

[Hide Data Quality ▲](#)

Geoprocessing history ►

PROCESS

PROCESS NAME

DATE 2017-04-17 11:44:52

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.5\ArcToolbox\Toolboxes\Data Management Tools.tbx\DefineProjection

COMMAND ISSUED

DefineProjection Location

```
PROJCS['NAD_1983_Mississippi_TM',GEOGCS['GCS_North_American_1983',DATUM['D_North_American_1983',SPHEROID['GRS_1980',6378137.0,298.257222101]],PRIMEM['Greenwich',0.0],UNIT['Degree',0.0174532925199433]],PROJECTION['Transverse_Mercator'],PARAMETER['False_Easting',500000.0],PARAMETER['False_Northing',130000.0],PARAMETER['Central_Meridian',-89.75],PARAMETER['Scale_Factor',0.9998335],PARAMETER['Latitude_Of_Origin',32.5],UNIT['Meter',1.0]]
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-04-17 11:59:31

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.5\ArcToolbox\Toolboxes\Data Management Tools.tbx\Project

COMMAND ISSUED

Project Location

C:\Users\jknight.IHL\Documents\ArcGIS\Default.gdb\CourtHouse

```
PROJCS['NAD_1983_NSRS2007_Mississippi_TM',GEOGCS['GCS_NAD_1983_NSRS2007',DATUM['D_NAD_1983_NSRS2007',SPHEROID['GRS_1980',6378137.0,298.257222101]],PRIMEM['Greenwich',0.0],UNIT['Degree',0.0174532925199433]],PROJECTION['Transverse_Mercator'],PARAMETER['False_Easting',500000.0],PARAMETER['False_Northing',1300000.0],PARAMETER['Central_Meridian',-89.75],PARAMETER['Scale_Factor',0.9998335],PARAMETER['Latitude_Of_Origin',32.5],UNIT['Meter',1.0]] 'WGS_1984_(ITRF00)_To_NAD_1983 + NAD_1983_NSRS2007_To_WGS_1984_1'
```

```
PROJCS['NAD_1983_Mississippi_TM',GEOGCS['GCS_North_American_1983',DATUM['D_North_American_1983',SPHEROID['GRS_1980',6378137.0,298.257222101]],PRIMEM['Greenwich',0.0],UNIT['Degree',0.0174532925199433]],PROJECTION['Transverse_Mercator'],PARAMETER['False_Easting',500000.0],PARAMETER['False_Northing',130000.0],PARAMETER['Central_Meridian',-
```

89.75],PARAMETER['Scale_Factor',0.9998335],PARAMETER['Latitude_Of_Origin',32.5],UNIT['Meter',1.0]] NO_PRESERVE_SHAPE # NO_VERTICAL
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-04-18 08:57:47

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.5\ArcToolbox\Toolboxes\Data Management Tools.tbx\Project

COMMAND ISSUED

Project CourtHouse C:\Users\jknight.IHL\Documents\ArcGIS\Default.gdb\House PROJCS['NAD_1983_Mississippi_TM',GEOGCS['GCS_North_American_1983',DATUM['D_North_American_1983',SPHEROID['GRS_1980',6378137.0,298.257222101]],PRIMEM['Greenwich',0.0],UNIT['Degree',0.0174532925199433]],PROJECTION['Transverse_Mercator'],PARAMETER['False_Easting',500000.0],PARAMETER['False_Northing',130000.0],PARAMETER['Central_Meridian',-89.75],PARAMETER['Scale_Factor',0.9998335],PARAMETER['Latitude_Of_Origin',32.5],UNIT['Meter',1.0]] 'NAD_1983_HARN_To_NAD_1983_NSRS2007_1 + NAD_1983_To_HARN_Mississippi' PROJCS['NAD_1983_NSRS2007_Mississippi_TM',GEOGCS['GCS_NAD_1983_NSRS2007',DATUM['D_NAD_1983_NSRS2007',SPHEROID['GRS_1980',6378137.0,298.257222101]],PRIMEM['Greenwich',0.0],UNIT['Degree',0.0174532925199433]],PROJECTION['Transverse_Mercator'],PARAMETER['False_Easting',500000.0],PARAMETER['False_Northing',1300000.0],PARAMETER['Central_Meridian',-89.75],PARAMETER['Scale_Factor',0.9998335],PARAMETER['Latitude_Of_Origin',32.5],UNIT['Meter',1.0]] NO_PRESERVE_SHAPE # NO_VERTICAL

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-04-20 08:33:40

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.5\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField Court_House FIPS 135 VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-04-26 13:21:20

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.5\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField Court_House Subtype [SudType] VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-04-27 08:59:42

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.5\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField Court_House Type County VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-05-02 08:01:20

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.5\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField Court_House Type County1 VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

Hide Geoprocessing history ▲

Distribution ►

DISTRIBUTOR ►

CONTACT INFORMATION

INDIVIDUAL'S NAME Steve Walker
ORGANIZATION'S NAME MARIS
CONTACT'S POSITION GIS Operations Manager
CONTACT'S ROLE custodian

CONTACT INFORMATION ►

ADDRESS

DELIVERY POINT 3825 Ridgewood Rd
CITY Jackson
ADMINISTRATIVE AREA MS
POSTAL CODE 39211
COUNTRY US
E-MAIL ADDRESS swalker@mississippi.edu

HOURS OF SERVICE

7-3 CDT

CONTACT INSTRUCTIONS

M-F

Hide Contact information ▲

Hide Distributor ▲

DISTRIBUTOR ►

CONTACT INFORMATION

INDIVIDUAL'S NAME Steve Walker
ORGANIZATION'S NAME MARIS
CONTACT'S POSITION GIS Operations Manager
CONTACT'S ROLE custodian

CONTACT INFORMATION ►

ADDRESS

DELIVERY POINT 3825 Ridgewood Rd
CITY Jackson
ADMINISTRATIVE AREA MS
POSTAL CODE 39211
COUNTRY US

E-MAIL ADDRESS swalker@mississippi.edu

HOURS OF SERVICE
7-3 CDT

CONTACT INSTRUCTIONS
M-F

[Hide Contact information ▲](#)

[Hide Distributor ▲](#)

DISTRIBUTION FORMAT

VERSION 10.4

* NAME Shapefile

TRANSFER OPTIONS

* TRANSFER SIZE 0.013

[Hide Distribution ▲](#)

Fields ►

DETAILS FOR OBJECT [MS_Courthouses ►](#)

* TYPE Feature Class

* ROW COUNT 498

DEFINITION

City Hall locations

DEFINITION SOURCE

MARIS

FIELD FID ►

* ALIAS FID

* DATA TYPE OID

* WIDTH 4

* PRECISION 0

* SCALE 0

* FIELD DESCRIPTION

Internal feature number.

* DESCRIPTION SOURCE

Esri

* DESCRIPTION OF VALUES

Sequential unique whole numbers that are automatically generated.

[Hide Field FID ▲](#)

FIELD OBJECTID ►

- * ALIAS OBJECTID
- * DATA TYPE Integer
- * WIDTH 10
- * PRECISION 10
- * SCALE 0
- * FIELD DESCRIPTION

Internal feature number.

- * DESCRIPTION SOURCE
Esri

- * DESCRIPTION OF VALUES
Sequential unique whole numbers that are automatically generated.

Hide Field OBJECTID ▲

FIELD SHAPE ►

- * ALIAS Shape
- * DATA TYPE Geometry
- * WIDTH 0
- * PRECISION 0
- * SCALE 0
- * FIELD DESCRIPTION

Feature geometry.

- * DESCRIPTION SOURCE
Esri

- * DESCRIPTION OF VALUES
Coordinates defining the features.

Hide Field SHAPE ▲

FIELD County_Nam ►

- * ALIAS County_Nam
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION
Name of County

DESCRIPTION SOURCE
MARIS

DESCRIPTION OF VALUES
name

Hide Field County_Nam ▲

FIELD Type ►

- * ALIAS Type
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Type of Courthouse::
County
Federal

DESCRIPTION SOURCE
MARIS

DESCRIPTION OF VALUES
type

Hide Field Type ▲

FIELD Address ►

- * ALIAS Address
- * DATA TYPE String
- * WIDTH 120
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

street address of city hall

DESCRIPTION SOURCE
MARIS

DESCRIPTION OF VALUES
address

Hide Field Address ▲

FIELD FIPS ►

- * ALIAS FIPS

* DATA TYPE String
* WIDTH 50
* PRECISION 0
* SCALE 0
FIELD DESCRIPTION
FIPS County Code

DESCRIPTION SOURCE
FIPS

DESCRIPTION OF VALUES
FIPS

Hide Field FIPS ▲

FIELD WEB_Site ►
* ALIAS WEB_Site
* DATA TYPE String
* WIDTH 150
* PRECISION 0
* SCALE 0
FIELD DESCRIPTION
website URL for court

DESCRIPTION SOURCE
MARIS

DESCRIPTION OF VALUES
URL

Hide Field WEB_Site ▲

FIELD Phone ►
* ALIAS Phone
* DATA TYPE String
* WIDTH 50
* PRECISION 0
* SCALE 0
FIELD DESCRIPTION
Phone number

DESCRIPTION SOURCE
MARIS

DESCRIPTION OF VALUES
phone number (if available)

[Hide Field Phone ▲](#)

FIELD Subtype ▶

- * ALIAS Subtype
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Subtype of Court:
Chancery
Circuit
Justice
Multi-Purpose
Annex
Courthouse
Historic

DESCRIPTION SOURCE

MARIS

DESCRIPTION OF VALUES

Subtype

[Hide Field Subtype ▲](#)

[Hide Details for object MS_Courthouses ▲](#)

[Hide Fields ▲](#)

Metadata Details ▶

* METADATA LANGUAGE English (UNITED STATES)
METADATA CHARACTER SET utf8 - 8 bit UCS Transfer Format

SCOPE OF THE DATA DESCRIBED BY THE METADATA * dataset
SCOPE NAME * dataset

* LAST UPDATE 2017-09-07

ARCGIS METADATA PROPERTIES

METADATA FORMAT ArcGIS 1.0
METADATA STYLE ISO 19139 Metadata Implementation Specification
STANDARD OR PROFILE USED TO EDIT METADATA ISO19139

CREATED IN ARCGIS FOR THE ITEM 2017-09-07 11:20:21
LAST MODIFIED IN ARCGIS FOR THE ITEM 2017-09-07 11:29:18

AUTOMATIC UPDATES

HAVE BEEN PERFORMED Yes
LAST UPDATE 2017-09-07 11:22:45

[Hide Metadata Details ▲](#)

Metadata Contacts ►

METADATA CONTACT

INDIVIDUAL'S NAME Steve Walker
ORGANIZATION'S NAME MARIS
CONTACT'S POSITION GIS Operations Manager
CONTACT'S ROLE custodian

CONTACT INFORMATION ►

ADDRESS

DELIVERY POINT 3825 Ridgewood Rd
CITY Jackson
ADMINISTRATIVE AREA MS
POSTAL CODE 39211
COUNTRY US
E-MAIL ADDRESS metadata@mississippi.edu

[Hide Contact information ▲](#)

[Hide Metadata Contacts ▲](#)

Metadata Maintenance ►

MAINTENANCE

UPDATE FREQUENCY as needed

[Hide Metadata Maintenance ▲](#)

Thumbnail and Enclosures ►

THUMBNAIL

THUMBNAIL TYPE JPG

[Hide Thumbnail and Enclosures ▲](#)

FGDC Metadata (read-only) ▼

DETAILED DESCRIPTION
ENTITY TYPE
ENTITY TYPE LABEL MS_Courthouses
ENTITY TYPE DEFINITION
City Hall locations
ENTITY TYPE DEFINITION SOURCE MARIS

ATTRIBUTE
ATTRIBUTE LABEL FID
ATTRIBUTE DEFINITION

Internal feature number.

ATTRIBUTE DEFINITION SOURCE Esri

ATTRIBUTE DOMAIN VALUES

UNREPRESENTABLE DOMAIN

Sequential unique whole numbers that are automatically generated.

ATTRIBUTE

ATTRIBUTE LABEL OBJECTID

ATTRIBUTE DEFINITION

Internal feature number.

ATTRIBUTE DEFINITION SOURCE Esri

ATTRIBUTE DOMAIN VALUES

UNREPRESENTABLE DOMAIN

Sequential unique whole numbers that are automatically generated.

ATTRIBUTE

ATTRIBUTE LABEL SHAPE

ATTRIBUTE DEFINITION

Feature geometry.

ATTRIBUTE DEFINITION SOURCE Esri

ATTRIBUTE DOMAIN VALUES

UNREPRESENTABLE DOMAIN

Coordinates defining the features.

ATTRIBUTE

ATTRIBUTE LABEL County_Nam

ATTRIBUTE DEFINITION

Name of County

ATTRIBUTE DEFINITION SOURCE MARIS

ATTRIBUTE DOMAIN VALUES

UNREPRESENTABLE DOMAIN

name

ATTRIBUTE

ATTRIBUTE LABEL Type

ATTRIBUTE DEFINITION

Type of Courthouse:: County Federal

ATTRIBUTE DEFINITION SOURCE MARIS

ATTRIBUTE DOMAIN VALUES

UNREPRESENTABLE DOMAIN

type

ATTRIBUTE

ATTRIBUTE LABEL Address

ATTRIBUTE DEFINITION

street address of city hall

ATTRIBUTE DEFINITION SOURCE MARIS

ATTRIBUTE DOMAIN VALUES

UNREPRESENTABLE DOMAIN

address

ATTRIBUTE

ATTRIBUTE LABEL FIPS

ATTRIBUTE DEFINITION

FIPS County Code

ATTRIBUTE DEFINITION SOURCE FIPS

ATTRIBUTE DOMAIN VALUES

UNREPRESENTABLE DOMAIN

FIPS

ATTRIBUTE
ATTRIBUTE LABEL WEB_Site
ATTRIBUTE DEFINITION
website URL for court
ATTRIBUTE DEFINITION SOURCE MARIS
ATTRIBUTE DOMAIN VALUES
UNREPRESENTABLE DOMAIN
URL

ATTRIBUTE
ATTRIBUTE LABEL Phone
ATTRIBUTE DEFINITION
Phone number
ATTRIBUTE DEFINITION SOURCE MARIS
ATTRIBUTE DOMAIN VALUES
UNREPRESENTABLE DOMAIN
phone number (if available)

ATTRIBUTE
ATTRIBUTE LABEL Subtype
ATTRIBUTE DEFINITION
Subtype of Court: Chancery Circuit Justice Multi-Purpose Annex Courthouse Historic
ATTRIBUTE DEFINITION SOURCE MARIS
ATTRIBUTE DOMAIN VALUES
UNREPRESENTABLE DOMAIN
Subtype

[Hide Entities and Attributes ▲](#)